## What Is Claimed Is:

- 1. A device for cleaning a surface, comprising:
  - a first roller;
  - a second roller; and
  - a tacky sheet at least partially wound about said first roller and said second roller.
- 2. A device for cleaning a surface, comprising:
  - a first roller that, in an operative embodiment, rotates within a housing;
  - a second roller that, in an operative embodiment, rotates within the housing; and
  - a sheet at least partially wound about said first roller and said second roller, said sheet having at least one tacky surface.
- 3. A device for cleaning a surface, comprising:
  - a sheet at least partially wound about a first roller and a second roller, said sheet having at least one tacky surface, wherein, in an operative embodiment, said first roller and said second roller rotate within a housing when the housing is moved across a surface to be cleaned.
- 4. A device for cleaning a surface, comprising:
  - a sheet having at least one tacky surface; and

a plurality of rollers in contact with said sheet, said plurality of rollers, in an operative embodiment, maintaining contact between said tacky surface and the surface to be cleaned.

- 5. The device of claim 4, wherein, in an operative embodiment, said plurality of rollers are at least partially surrounded by a housing.
- 6. The device of claim 4, further comprising a housing at least partially surrounding said plurality of rollers.
- 7. The device of claim 4, further comprising:
  - a housing at least partially surrounding said plurality of rollers; and
  - a handle attached to said housing.
- 8. The device of claim 4, further comprising:
  - a housing at least partially surrounding said plurality of rollers; and
  - a handle pivotably attached to said housing.
- 9. The device of claim 4, further comprising:
  - a housing at least partially surrounding said plurality of rollers; and
  - a handle rotatably attached to said housing.
- 10. The device of claim 4, further comprising:

- a housing at least partially surrounding said plurality of rollers; and
- a brush coupled to said housing.
- 11. The device of claim 4, further comprising:
  - a housing at least partially surrounding said plurality of rollers; and
  - a brush coupled to said housing, said brush, in an operative embodiment, sweeping the surface to be cleaned.
- 12. The device of claim 4, further comprising:
  - a housing at least partially surrounding said plurality of rollers; and
  - a sponge coupled to said housing.
- 13. The device of claim 4, further comprising:
  - a housing at least partially surrounding said plurality of rollers; and
  - a sponge coupled to said housing, said sponge, in an operative embodiment, wiping the surface to be cleaned.
- 14. The device of claim 4, further comprising:
  - a housing at least partially surrounding said plurality of rollers;
  - a sponge coupled to said housing; and
  - a reservoir fluidly coupled to said sponge,
  - said sponge, in an operative embodiment, wiping the surface to be cleaned.

- 15. The device of claim 4, further comprising at least one take-up roller in contact with said sheet, said take-up roller, in an operative embodiment, removing slack from said sheet.
- 16. The device of claim 4, further comprising a brush in contact with said at least one tacky surface of said sheet.
- 17. The device of claim 4, wherein said tacky surface of said sheet is constructed with an adhesive.
- 18. The device of claim 4, wherein said tacky surface of said sheet is constructed with an acrylic-based adhesive.
- 19. The device of claim 4, wherein said tacky surface of said sheet is constructed with an adhesive selected from a group consisting of: natural rubber in the presence of a plasticizer mixed with a hydrocolloid gum, synthetic rubber in the presence of a plasticizer mixed with a hydrocolloid gum, a co-polymer of 2-amino ethyl ethacrylate, and n-butyl methacrylate.
- 20. The device of claim 4, wherein said plurality of rollers are springloaded.
- 21. The device of claim 4, wherein said plurality of rollers are rigid.

- 22. The device of claim 4, wherein said plurality of rollers are compressible.
- 23. The device of claim 4, wherein said plurality of rollers are constructed from compressible foam.